"Arthvishwa" International Journal
Multidisciplinary, Peer Reviewed, Indexed, Refereed, International Journal ISSN: 2319-6289
Published Month and Year: August 2022 (Ref. No.: NSL/ISSN/INF/2012/2476 Dated: October 19, 2012)

"Comparative Evaluation of Phyto-Synthesized Metal and Metal Oxide Nanoparticles for Sustainable Environmental Remediation"

Parate Vaishali Tilakchand, Research Scholar, Department of Chemistry, Sabarmati University, Ahmedabad
Dr. Harsh Sharma, Professor, Department of Chemistry, Sabarmati University, Ahmedabad

Abstract

The increasing contamination of water, soil, and industrial environments by toxic pollutants has created an urgent need for sustainable and environmentally friendly remediation technologies. Phyto-synthesis of metal and metal oxide nanoparticles has emerged as a promising green approach because it utilizes plant-derived phytochemicals as reducing, stabilizing, and capping agents. The present study focuses on the comparative evaluation of phyto-synthesized metal nanoparticles, including silver (Ag) and gold (Au), and metal oxide nanoparticles, including zinc oxide (ZnO), copper oxide (CuO), and titanium dioxide (TiO_2), for environmental remediation applications. Particular attention is given to their synthesis mechanisms, physicochemical characteristics, pollutant removal potential, and environmental sustainability. The study examines the role of particle size, surface morphology, chemical composition, and catalytic properties in determining remediation performance. The comparative assessment highlights the potential of plant-mediated nanoparticles for removing organic dyes, heavy metals, and other hazardous contaminants. The study provides a framework for selecting effective, economical, and environmentally responsible nanomaterials for sustainable pollution control.

Keywords: Phyto-synthesis, Green Nanotechnology, Metal Nanoparticles, Metal Oxide Nanoparticles, Environmental Remediation, Sustainability.

Introduction

Environmental pollution has become one of the most serious challenges affecting ecological balance, human health, and sustainable development worldwide. Rapid industrialization, urban expansion, agricultural activities, and the increasing use of synthetic chemicals have contributed significantly to the accumulation of hazardous pollutants in natural ecosystems. Industrial wastewater frequently contains toxic heavy metals, synthetic dyes, pharmaceutical residues, pesticides, and other organic and inorganic contaminants that threaten aquatic organisms, soil fertility, and human health. The persistence and potential toxicity of these pollutants have generated considerable interest in developing innovative remediation technologies capable of achieving effective contaminant removal with minimal environmental impact.

Conventional environmental remediation techniques, including chemical precipitation, coagulation, membrane filtration, adsorption, and biological treatment, have been widely employed for the removal of pollutants from contaminated water and soil. However, these methods may present limitations such as high operational costs, incomplete contaminant removal, excessive energy requirements, and the generation of secondary waste. Consequently, researchers have increasingly focused on nanotechnology-based approaches as promising alternatives for efficient and sustainable environmental remediation.

Nanotechnology involves the development and application of materials with dimensions typically ranging from 1 to 100 nanometres. At the nanoscale, materials exhibit distinctive physicochemical characteristics, including high surface-area-to-volume ratios, altered electronic properties, and enhanced surface reactivity. These properties make nanoparticles attractive for environmental applications such as adsorption, photocatalytic degradation, contaminant immobilization, and catalytic transformation. Both metal and metal oxide nanoparticles have demonstrated considerable potential for addressing different categories of environmental pollutants.

Metal nanoparticles, particularly silver (Ag) and gold (Au), possess unique optical, catalytic, and surface properties that support their application in environmental treatment systems. Silver nanoparticles have been

investigated for antimicrobial activity and catalytic reactions, while gold nanoparticles are recognized for their chemical stability and catalytic potential, particularly when appropriately functionalized or supported. Their effectiveness depends strongly on particle size, shape, surface chemistry, and the nature of the target pollutant. Nevertheless, the use of metal nanoparticles requires careful consideration of material cost, recovery efficiency, and potential environmental toxicity.

Metal oxide nanoparticles, including zinc oxide (ZnO), copper oxide (CuO), and titanium dioxide (TiO_2), have attracted significant attention because of their semiconductor properties, chemical stability, and potential photocatalytic activity. These materials can facilitate the degradation of selected organic pollutants under appropriate irradiation and reaction conditions. Zinc oxide and titanium dioxide are widely studied as photocatalysts, whereas copper oxide has potential applications in adsorption, catalysis, and pollutant transformation. The environmental performance of these nanomaterials varies according to their crystalline structure, band-gap characteristics, surface defects, and experimental conditions.

Despite their potential advantages, conventional chemical and physical methods for nanoparticle synthesis may involve hazardous reducing agents, toxic solvents, elevated temperatures, and energy-intensive processing. Such approaches can reduce the overall environmental benefits of nanotechnology-based remediation. Therefore, the development of greener synthesis techniques has become an important research priority.

Phyto-synthesis, also known as plant-mediated green synthesis, provides an alternative method for producing metal and metal oxide nanoparticles through the utilization of plant extracts. Different plant components, including leaves, flowers, fruits, seeds, roots, and bark, contain bioactive compounds such as flavonoids, polyphenols, terpenoids, alkaloids, and reducing sugars. These phytochemicals can participate in metal-ion reduction, surface stabilization, and nanoparticle formation, depending on the precursor chemistry and synthesis conditions. Plant-mediated synthesis offers potential advantages such as reduced dependence on hazardous chemicals, the utilization of renewable biological resources, and relatively simple processing.

The characteristics of phyto-synthesized nanoparticles are influenced by several synthesis parameters, including plant extract concentration, precursor concentration, reaction temperature, pH, reaction duration, and calcination conditions. Variations in these parameters can significantly affect particle morphology, crystallinity, dispersion, and surface functionality. Consequently, careful optimization and characterization are necessary to obtain nanoparticles with reproducible properties and suitable environmental performance.

Characterization techniques such as ultraviolet–visible (UV–Vis) spectroscopy, Fourier transform infrared (FTIR) spectroscopy, X-ray diffraction (XRD), scanning electron microscopy (SEM), transmission electron microscopy (TEM), and energy-dispersive X-ray spectroscopy (EDX) provide valuable information regarding nanoparticle formation, surface chemistry, crystal structure, morphology, and elemental composition. These analytical methods are essential for understanding the relationships between synthesis conditions, physicochemical properties, and pollutant removal mechanisms.

Although numerous studies have investigated individually synthesized metal or metal oxide nanoparticles, meaningful comparison between these material categories remains challenging because different studies employ different plant extracts, pollutant concentrations, experimental conditions, and performance evaluation methods. Furthermore, high pollutant removal efficiency does not necessarily indicate greater environmental sustainability, particularly when nanoparticle recovery, metal leaching, ecotoxicity, and material reuse are not considered.

The present study therefore emphasizes the comparative evaluation of phyto-synthesized

"Arthvishwa" International Journal
Multidisciplinary, Peer Reviewed, Indexed, Refereed, International Journal ISSN: 2319-6289
Published Month and Year: August 2022 (Ref. No.: NSL/ISSN/INF/2012/2476 Dated: October 19, 2012)

metal and metal oxide nanoparticles for sustainable environmental remediation. It examines their synthesis characteristics, structural and spectroscopic properties, potential pollutant removal mechanisms, and broader environmental implications. By considering both remediation effectiveness and sustainability-related factors, the study seeks to establish a scientifically informed basis for selecting appropriate green nanomaterials for pollution control applications.



Figure 1. Schematic illustration of the green synthesis of metal and metal oxide nanoparticles using plant extracts and their application in environmental remediation.

Review of Literature

Sathishkumar et al. (2009) investigated the green synthesis of silver nanoparticles using Cinnamomum zeylanicum bark extract and powder. Their research demonstrated that naturally occurring compounds in plant materials could contribute to the formation of nanocrystalline silver particles without relying entirely on conventional chemical synthesis methods. The researchers also examined the bactericidal properties of the synthesized nanoparticles and highlighted their potential for controlling harmful microorganisms. This study provided an important foundation for understanding how readily available plant materials could be utilized in nanoparticle production. It also encouraged further investigation into the use of plant-derived nanoparticles for environmental and biological applications.

Iravani (2011) conducted a detailed review of the synthesis of metal nanoparticles using different plant materials. The study explained how naturally occurring substances such as flavonoids, polyphenols, proteins, and other organic compounds participate in the reduction and stabilization of metal ions during nanoparticle formation. The author emphasized that plant-mediated synthesis could provide a relatively simple and environmentally friendly alternative to traditional chemical methods. The review also discussed the influence of plant species, extract composition, and reaction conditions on nanoparticle characteristics. The study contributed significantly to the understanding of green synthesis and its potential role in developing sustainable nanomaterials.

Mittal et al. (2013) examined the preparation of metallic nanoparticles using extracts obtained from different plant species. Their review described the important role of plant metabolites in converting metal ions into nanoparticles and maintaining their stability during synthesis. The researchers explained that factors such as temperature, pH, reaction time, and extract concentration could influence nanoparticle size, shape, and distribution. They also discussed the advantages of using biological resources instead of certain hazardous chemical reagents. The study highlighted the importance of optimizing synthesis conditions to produce nanoparticles with desirable properties for different industrial, environmental, and technological applications.

Makarov et al. (2014) explored the growing importance of green nanotechnology in the synthesis of metal nanoparticles using plants. Their work discussed various biological processes involved in nanoparticle formation and explained how different plant compounds could act as reducing and stabilizing agents. The researchers examined the advantages of plant-based synthesis, including the availability of raw materials and the possibility of reducing chemical consumption. They also identified challenges associated with controlling particle size, obtaining uniform morphology, and maintaining consistency between synthesis batches. Their findings emphasized the need for further scientific investigation to improve the reliability and practical usefulness of biologically synthesized nanoparticles.

Ahmed et al. (2016) reviewed the preparation of silver nanoparticles using plant extracts and examined their antimicrobial properties. Their study described how different parts of

plants, including leaves, roots, fruits, and bark, could be used for nanoparticle production. The authors explained that plant-derived compounds influence the formation, stabilization, and surface characteristics of silver nanoparticles. They also discussed how nanoparticle size and morphology may affect antimicrobial performance. The review highlighted the growing importance of green synthesis in producing functional nanomaterials and identified opportunities for developing safer and more economical methods for biological and environmental applications.

Singh et al. (2016) studied biological approaches to nanoparticle synthesis using plants and microorganisms. Their review compared different biological synthesis methods and explained the role of natural reducing agents in nanoparticle formation. The researchers observed that biological systems offer several possibilities for producing nanoparticles under relatively mild reaction conditions. They also discussed the influence of biological materials on nanoparticle properties and the challenges involved in achieving controlled particle formation. Their study highlighted the potential of biologically synthesized nanoparticles in medicine, agriculture, environmental protection, and industrial applications, while emphasizing the importance of understanding synthesis mechanisms and improving process reproducibility.

Agarwal et al. (2017) examined environmentally friendly methods for synthesizing zinc oxide nanoparticles using plant-based materials. Their review discussed the contribution of natural compounds to nanoparticle formation and the influence of synthesis conditions on structural and morphological characteristics. The researchers described the potential advantages of plant-mediated synthesis over conventional preparation methods, particularly in reducing the use of certain hazardous chemicals. They also explored the functional properties of zinc oxide nanoparticles and their possible applications in different scientific and technological fields. The study provided useful information about the development of sustainable metal oxide nanomaterials and their potential suitability for environmental applications.

Rajeshkumar and Bharath (2017) investigated the mechanisms involved in the plant-mediated synthesis of silver nanoparticles, focusing particularly on the biomolecules responsible for nanoparticle formation. Their review explained how organic compounds present in plant extracts could participate in metal-ion reduction and nanoparticle stabilization. The researchers also discussed characterization methods used to examine nanoparticle properties and reviewed their antibacterial applications. Their study indicated that the nature and concentration of plant-derived compounds could influence the properties of the synthesized nanoparticles. The work contributed to a better understanding of the relationship between biological synthesis processes, surface chemistry, and nanoparticle functionality.

Khan et al. (2019) presented a comprehensive discussion of nanoparticle properties, applications, and potential toxic effects. Their review explained how the small size and high surface-area-to-volume ratio of nanoparticles contribute to their distinctive physical and chemical behaviour. The authors examined the increasing use of nanomaterials in environmental treatment, medicine, electronics, and industrial processes. Alongside these benefits, they emphasized the importance of understanding possible toxicological effects on living organisms and natural ecosystems. Their study highlighted that the successful application of nanotechnology should involve not only improved material performance but also careful consideration of environmental safety, exposure risks, and responsible material management.

Swetharanyam et al. (2020) investigated the plant-mediated synthesis of zinc oxide nanoparticles and discussed their potential applications as photocatalytic and antibacterial materials. Their study focused on the use of plant-derived compounds in the preparation of ZnO nanoparticles and the importance of nanoparticle characteristics in determining functional performance. The researchers highlighted the potential of zinc oxide nanoparticles for the degradation of selected organic pollutants through photocatalytic processes. They also discussed their

antibacterial properties and possible applications in environmental treatment. The research contributed to the growing interest in developing metal oxide nanoparticles through green synthesis methods for pollution management and related technological applications.

Fagier (2021) examined plant-mediated biosynthesis of zinc oxide nanoparticles with particular attention to their photocatalytic performance in dye mineralization. The study discussed the role of nanoparticle surface properties, synthesis conditions, and light irradiation in influencing the degradation of organic dye pollutants. The author explained that zinc oxide nanoparticles have characteristics that make them promising candidates for photocatalytic wastewater treatment. The review also considered factors that may limit photocatalytic efficiency, including nanoparticle aggregation and reaction conditions. This work provided a useful understanding of the possibilities and challenges associated with applying plant-synthesized metal oxide nanoparticles to the treatment of dye-contaminated water.

Jeevanandam et al. (2022) reviewed green approaches for synthesizing metal and metal oxide nanoparticles using plant and microbial extracts. Their study examined different biological synthesis processes and described the role of naturally occurring compounds in nanoparticle formation and stabilization. The researchers discussed how synthesis conditions influence particle size, morphology, surface properties, and stability. They also considered the advantages and limitations of green synthesis approaches, particularly in relation to reproducibility, scalability, and material characteristics. Their review highlighted the importance of combining environmentally responsible synthesis methods with suitable characterization and performance evaluation to support the development of functional nanomaterials for practical applications.

Objectives of the Study

1. To investigate the green synthesis and characterization of metal and metal oxide nanoparticles using plant extracts, with particular emphasis on their structural, morphological, and spectroscopic properties.
2. To comparatively evaluate the environmental remediation potential of phyto-synthesized metal and metal oxide nanoparticles by examining their effectiveness in removing toxic compounds, heavy metals, and organic pollutants from contaminated environments.
3. To assess the environmental sustainability and practical applicability of phyto-synthesized nanoparticles in terms of synthesis efficiency, material stability, reusability, potential toxicity, and suitability for environmentally responsible pollution control.

Materials and Methods

The present study adopts a comparative approach to examine the green synthesis and environmental remediation potential of silver (Ag), gold (Au), zinc oxide (ZnO), copper oxide (CuO), and titanium dioxide (TiO_2) nanoparticles.

Research Design

The study uses a proposed experimental-comparative methodology supported by published literature to assess nanoparticle characteristics, pollutant removal efficiency, stability, and environmental sustainability.

Collection and Preparation of Plant Materials

Fresh plant leaves are washed, shade-dried, and powdered. The powder is mixed with distilled water, heated, and filtered to obtain plant extracts containing natural reducing and stabilizing compounds.

Green Synthesis of Metal Nanoparticles

Silver and gold nanoparticles are prepared by reacting plant extracts with silver nitrate ($AgNO_3$) and chloroauric acid ($HAuCl_4$), respectively. The resulting nanoparticles are separated, washed, and dried.

Green Synthesis of Metal Oxide Nanoparticles

ZnO, CuO, and TiO_2 nanoparticles are synthesized using suitable metal precursors and plant extracts. The resulting materials undergo washing, drying, and thermal treatment when required.

Environmental Remediation Experiments

The proposed experiments evaluate nanoparticle efficiency in removing organic dyes and heavy metals from contaminated water. Pollutant concentrations are measured before and after treatment.

Removal efficiency is calculated as:

$$\text{Removal Efficiency (\%)} = \frac{C_0 - C_t}{C_0} \times 100$$

Where C_0 is the initial concentration and C_t is the concentration after treatment.

"Arthvishwa" International Journal
Multidisciplinary, Peer Reviewed, Indexed, Refereed, International Journal ISSN: 2319-6289
Published Month and Year: August 2022 (Ref. No.: NSL/ISSN/INF/2012/2476 Dated: October 19, 2012)

Comparative Evaluation and Data Analysis

The nanoparticles are compared based on pollutant removal efficiency, structural stability, reusability, and environmental safety. Statistical analysis may be applied to evaluate differences in performance and identify suitable materials for sustainable remediation.

Analysis of the Study

Comparative Analysis of Nanoparticle Properties

Table 1. Comparative Characteristics of Phyto-Synthesized Nanoparticles

Nanoparticle	Important Properties	Potential Environmental Applications	Major Limitations
Silver (Ag)	Surface plasmon resonance, catalytic activity, antimicrobial properties	Catalytic dye reduction, microbial control	Silver-ion release and potential ecotoxicity
Gold (Au)	Chemical stability, Tunable optical properties, catalytic functionality	Catalytic pollutant transformation	High material cost
Zinc Oxide (ZnO)	Semiconductor behaviour, photocatalytic activity	Organic dye degradation, wastewater treatment	Photo corrosion and possible zinc dissolution
Copper Oxide (CuO)	Semiconductor properties, surface reactivity	Dye degradation, adsorption, catalytic treatment	Copper release and stability concerns
Titanium Dioxide (TiO_2)	Chemical stability, photocatalytic properties	Photocatalytic oxidation of organic pollutants	Limited visible-light utilization in unmodified forms

The comparison demonstrates that nanoparticles possess different functional advantages depending on their composition and structure. Silver and gold nanoparticles are particularly relevant to selected catalytic processes, whereas ZnO, CuO, and TiO_2 offer opportunities for semiconductor-assisted pollutant degradation. Their actual effectiveness depends on the pollutant, treatment conditions, and nanoparticle formulation.

Table 2. Comparative Environmental Remediation Mechanisms

Nanoparticle	Principal Remediation Mechanism	Representative Target Pollutants	Performance Considerations
Ag	Catalytic reduction and antimicrobial action	Selected organic dyes and microorganisms	Catalyst recovery, dissolution
Au	Surface-mediated catalysis	Selected reducible organic contaminants	Support material, cost, reaction conditions
ZnO	Photocatalysis and adsorption	Organic dyes and selected aqueous contaminants	Light source, pH, stability
CuO	Adsorption and catalytic or photocatalytic reactions	Organic dyes and selected contaminants	Surface chemistry, copper leaching
TiO_2	Photocatalytic oxidation	Organic pollutants and dye molecules	Light absorption, charge recombination

"Arthvishwa" International Journal
Multidisciplinary, Peer Reviewed, Indexed, Refereed, International Journal ISSN: 2319-6289
Published Month and Year: August 2022 (Ref. No.: NSL/ISSN/INF/2012/2476 Dated: October 19, 2012)

The comparison suggests that the selection of nanoparticles should depend on the dominant remediation mechanism required for a specific pollutant rather than on a general assumption that one material is universally superior.

Table 3. Comparative Sustainability Assessment of Nanoparticle Categories

Evaluation Parameter	Metal Nanoparticles (Ag, Au)	Metal Oxide Nanoparticles (ZnO, CuO, TiO_2)
Plant-mediated synthesis	Feasible through phytochemical reduction	Feasible through plant-assisted formation and processing
Material cost	Can be high, especially for Au	Often comparatively economical, depending on precursor and processing
Energy requirements	Depend on synthesis and purification	May increase when calcination is necessary
Reusability	Requires effective separation and recovery	Depends on structural stability and immobilization
Environmental risks	Metal-ion release and nanoparticle toxicity	Dissolution, particle release, and possible ecotoxicity
Large-scale application	May be constrained by cost and recovery	Promising, but scale-up and energy use require evaluation

The analysis shows that sustainability cannot be established through synthesis methods alone. A material with strong pollutant removal capability may still present environmental disadvantages if it requires energy-intensive processing or releases hazardous substances during application.

Results and Discussion

The following discussion synthesizes findings from published studies and provides the expected basis for interpreting the proposed experiments. Since original laboratory measurements have not been supplied, numerical results and statistical significance are not claimed.

Structural and Morphological Characteristics

Structural and morphological properties significantly influence nanoparticle performance in environmental remediation. Particle size, crystalline structure, surface morphology, and aggregation behaviour determine the availability of reactive sites and the interaction of nanoparticles with pollutants.

Plant-derived phytochemicals may influence nanoparticle nucleation, growth, and stabilization, producing particles with differing morphologies depending on the synthesis conditions. In metal nanoparticles, surface structure strongly affects catalytic activity. For metal oxide nanoparticles, crystallinity, surface defects, and phase composition play important roles in photocatalytic behaviour.

Spectroscopic Characterization

Spectroscopic characterization provides important evidence regarding nanoparticle formation and surface chemical interactions.

UV–Visible spectroscopy can reveal characteristic absorption features associated with nanoparticle formation. Silver and gold nanoparticles may exhibit surface plasmon resonance bands, while ZnO and TiO_2 show absorption behaviour related to their semiconductor electronic structures.

FTIR analysis can identify functional groups such as hydroxyl, carbonyl, and carboxyl groups that may originate from plant metabolites. Changes in the position or intensity of spectral bands can provide supporting evidence for interactions between plant-derived compounds and nanoparticle surfaces.

XRD analysis is necessary for identifying crystalline phases, while elemental analysis can help determine the presence of expected chemical constituents. Combining these techniques provides a stronger basis for confirming nanoparticle formation than relying solely on colour changes or optical spectra.

Pollutant Removal Efficiency

Pollutant removal efficiency represents a major criterion for evaluating the practical potential of phyto-synthesized nanoparticles.

Metal nanoparticles may exhibit effective catalytic behaviour in selected reduction reactions. Their performance depends on the availability of active surface sites, electron-transfer processes, and the interaction between catalyst and pollutant molecules.

Metal oxide nanoparticles can support photocatalytic degradation when the light source and reaction conditions are appropriate. ZnO and TiO_2 have been widely investigated for organic pollutant treatment, while CuO has been studied for catalytic, adsorption, and photocatalytic applications.

Comparative Performance Evaluation

The comparative assessment reveals that metal and metal oxide nanoparticles offer complementary environmental remediation functions.

Metal nanoparticles are particularly useful in certain catalytic reactions because of their distinctive surface electronic properties. However, their practical application may be limited by material cost, recovery difficulties, and potential toxicological concerns.

Metal oxide nanoparticles offer attractive opportunities for photocatalytic pollutant degradation, especially where suitable light energy is available. Their relatively accessible precursor materials and diverse surface properties may support wider environmental applications. However, their performance can be affected by charge-carrier recombination, restricted light absorption, photo corrosion, and dissolution.

Environmental Sustainability and Practical Applications

Plant-mediated synthesis has the potential to contribute to sustainable nanotechnology through the use of renewable biological materials and the reduction of some hazardous synthesis reagents.

However, the practical sustainability of nanoparticles is influenced by the complete production and application process. High-temperature treatment, chemical purification, material loss, and inefficient recovery may increase environmental burdens.

The reuse of nanoparticles represents an important consideration because repeated treatment cycles can reduce material consumption and operating costs. Immobilization of nanoparticles on suitable supports may also help minimize particle release and simplify separation following wastewater treatment.

Conclusion

The present study provides a comparative evaluation of phyto-synthesized metal and metal oxide nanoparticles for sustainable environmental remediation. The analysis highlights the potential of plant-mediated synthesis as an alternative approach for producing functional nanomaterials while reducing dependence on selected hazardous chemical reagents.

Silver and gold nanoparticles exhibit properties that may support catalytic pollutant transformation, whereas zinc oxide, copper oxide, and titanium dioxide nanoparticles offer opportunities for adsorption and photocatalytic remediation. Their effectiveness is influenced by particle size, crystalline structure, surface chemistry, reaction conditions, and pollutant characteristics.

The comparative analysis indicates that no single nanoparticle category can be considered universally superior for all remediation applications. Instead, material selection should be based on pollutant-specific treatment requirements, environmental compatibility, economic feasibility, and long-term stability.

Although phyto-synthesis offers promising sustainability advantages, challenges associated with synthesis reproducibility, nanoparticle recovery, potential toxicity, energy consumption, and large-scale production remain important. Further experimental investigations involving

standardized treatment conditions, repeated-use assessments, and life-cycle evaluation are necessary to determine the practical benefits of these nanomaterials.

Overall, phyto-synthesized metal and metal oxide nanoparticles represent a valuable research direction for developing effective and environmentally responsible pollution-control technologies. Their successful application will depend on integrating green synthesis principles with reliable performance assessment, environmental safety, and sustainable material management.

References

1. Sathishkumar, M., Sneha, K., Won, S. W., Cho, C. W., Kim, S., & Yun, Y. S. (2009). Cinnamon zeylanicum bark extract and powder mediated green synthesis of nano-crystalline silver particles and its bactericidal activity. Colloids and Surfaces B: Bio interfaces, 73(2), 332–338. https://doi.org/10.1016/j.colsurfb.2009.06.005
2. Iravani, S. (2011). Green synthesis of metal nanoparticles using plants. Green Chemistry, 13, 2638–2650. https://doi.org/10.1039/C1GC15386B
3. Mittal, A. K., Chisti, Y., & Banerjee, U. C. (2013). Synthesis of metallic nanoparticles using plant extracts. Biotechnology Advances, 31(2), 346–356. https://doi.org/10.1016/j.biotechadv.2013.01.003
4. Makarov, V. V., Love, A. J., Sinitsyna, O. V., Makarova, S. S., Yaminsky, I. V., Taliansky, M. E., & Kalinina, N. O. (2014). "Green" nanotechnologies: Synthesis of metal nanoparticles using plants. Acta Naturae, 6(1), 35–44. https://doi.org/10.32607/20758251-2014-6-1-35-44
5. Ahmed, S., Ahmad, M., Swami, B. L., & Ikram, S. (2016). A review on plants extract mediated synthesis of silver nanoparticles for antimicrobial applications: A green expertise. Journal of Advanced Research, 7(1), 17–28. https://doi.org/10.1016/j.jare.2015.02.007
6. Singh, P., Kim, Y. J., Zhang, D., & Yang, D. C. (2016). Biological synthesis of nanoparticles from plants and microorganisms. Trends in Biotechnology, 34(7), 588–599. https://doi.org/10.1016/j.tibtech.2016.02.006
7. Agarwal, H., Kumar, S. V., & Rajeshkumar, S. (2017). A review on green synthesis of zinc oxide nanoparticles—An eco-friendly approach. Resource-Efficient Technologies, 3(4), 406–413. https://doi.org/10.1016/j.reffit.2017.03.002
8. Rajeshkumar, S., & Bharath, L. V. (2017). Mechanism of plant-mediated synthesis of silver nanoparticles—A review on biomolecules involved, characterisation and antibacterial activity. Chemico-Biological Interactions, 273, 219–227. https://doi.org/10.1016/j.cbi.2017.06.019
9. Khan, I., Saeed, K., & Khan, I. (2019). Nanoparticles: Properties, applications and toxicities. Arabian Journal of Chemistry, 12(7), 908–931. https://doi.org/10.1016/j.arabjc.2017.05.011
10. Swetharanyam, A., Kunjitham, R., & Barnwal, J. (2020). Plant mediated synthesis of zinc oxide nanoparticles and their potential applications as photocatalyst and antibacterial agents. Asian Journal of Chemistry, 32(11). https://doi.org/10.14233/ajchem.2020.22971
11. Fagier, M. A. (2021). Plant-mediated biosynthesis and photocatalysis activities of zinc oxide nanoparticles: A prospect towards dyes mineralization. Journal of Nanotechnology, 2021, Article 6629180. https://doi.org/10.1155/2021/6629180
12. Jeevanandam, J., Kiew, S. F., Boakye-Ansah, S., Lau, S. Y., Barhoum, A., Danquah, M. K., & Rodrigues, J. (2022). Green approaches for the synthesis of metal and metal oxide nanoparticles using microbial and plant extracts. Nanoscale, 14, 2534–2571. https://doi.org/10.1039/D1NR08144F